

High-Quality Optical Connector Polishing Machine for On-Site Polishing



1**Quick**

High speed (700 RPM)
Polishes most connectors in
2-4 minutes

2**High-Quality**

Advanced mass-production
polishing technology to
deliver high-quality
polishing results.


3**Portable**

Compatible with widely
available AA rechargeable
Ni-MH or alkaline batteries.
An AC adapter is also
available.



Feature

Supports a wide range of polishing applications; including MT ferrules, single-core connectors (UPC/APC), various capillaries, and bare fiber polishing. Most of the attachments for ATP-3200 are compatible.



LC Connector
SC Connector
FC Connector
MT Ferrule


Easily replaceable attachments for quick setup

Ideal for Re-Polishing

Scratched or damaged connectors can be reused through re-polishing.




Before polishing
heavily damaged




After polishing
Usable

Outdated polishing grades can be restored to high quality and low RL through re-polishing.



Before polishing
PC polishing grade
RL=34.5dB*



After polishing
UPC polishing grade
RL=53.1dB*

*This is an example of polishing.

Product Specifications

Applicable connectors/ferrules	FC, SC, ST, LC, LC-Duplex, MU, MT, MTRJ, Glass Ferrule, Custom Each of the above PC and APC
Dimensions (mm)	90W x 75D x 210H
Weight (g)	860 (Body only, battery not included)
Power supply (optional)	Rechargeable Ni-MH or alkaline batteries (AA x 4) AC adapter (100-240 V compatible)

The company names and product names in this document are trademarks or registered trademarks of each companies. Please understand that the contents recorded herein may be subject to change without notification.

20250909

For more information,
please contact

https://keytech.ntt-at.com/en/optic1/prd_0051.html

