

## MONITORED POWER DISTRIBUTION

---

### Tuote

Tuotekoodi: MXLR2NQ6Y5

### Tekniset tiedot

MONITORED POWER DISTRIBUTION UNIT  
catalogue number: MXLR2NQ6Y5



6 x Schuko sockets outlet (German standard) max. 16A/230VAC  
 36 x IEC320C13 sockets outlet max. 10A/230VAC  
 Schuko sockets 45° oriented  
 Sockets are located in 3 blocks. Each block is supplied from other phase. Sockets are colour-coded by phase (black, red and grey).  
 Plastic elements colour: light-grey similar to RAL7035  
 Natural anodized aluminium body  
 Dimensions without mounting brackets (WxHxD): 44x1678x46mm  
 Vertical mounting in 19" rack - 0U  
 Mounting brackets for installation in 4 orientations  
 5-meter supply cable H05VV-F.5G2,5mm<sup>2</sup> in white or black colour.  
 Supply cable terminated IEC60309 plug red 3-phase (3x16A/400V).  
 Maximum current 48A (11 040 W).  
 Three AC ammeters with 3 digits LED display, one for each phase  
   - Measurement range 0,1...16A.  
   - Measurement accurate ±2,5%.  
 Built-in web server monitoring function of the current load of individual circuit blocks  
 Web interface: Ethernet RJ45 (Ethernet 10/100BaseT)  
 Protocols: TCP / IP, HTTP, SNMP, SMTP, Syslog, DHCP  
 Protection level IP20.  
 Declaration of Conformity CE.