MONITORED POWER DISTRIBUTION



Tuote

Tuotekoodi: MXLR2NQ6Y5

Tekniset tiedot

MONITORED POWER DISTRIBUTION UNIT
catalogue number: MXLR2NQ6Y5
6 x Schuko sockets outlet (German standard) max. 16A/230VAC
36 x IEC320C13 sockets outlet max. 10A/230VAC
Schuko sockets 45° oriented
Sockets are located in 3 blocks. Each block is supplied from other phase. Sockets are colour-coded by phase (black, red and grey).
Plastic elements colour: light-grey similar to RAL7035
Natural anodized aluminium body
Dimensions without mounting brackets (WxHxD): 44x1678x46mm
Vertical mounting in 19" rack - 0U
Mounting brackets for installation in 4 orientations
5-meter supply cable H05VV-F.5G2,5mm² in white or black colour.
Supply cable terminated IEC60309 plug red 3-phase (3x16A/400V).
Maximum current 48A (11 040 W).
Three AC ammeters with 3 digits LED display, one for each phase

- Measurement range 0,1...16A.

- Measurement accurate ±2,5%.

Built-in web server monitoring function of the current load of individual circuit blocks
Web interface: Ethernet RJ45 (Ethernet 10/100BaseT)
Protocols: TCP / IP, HTTP, SNMP, SMTP, Syslog, DHCP
Protection level IP20.
Declaration of Conformity CE.